

# **Fastening systems for Dincel form starter bars and props**



# RE 100 Epoxy mortar for starter bars in concrete



<p><b>Description</b></p>	<p>Hilti HIT-RE 100</p>	<p>HDM 500 Toolbox KIT (incl pump, brushes)</p>	<p>TE-YX/ TE-CX Hammer drill bit metric</p>
<p><b>Item Number</b></p>	<p>2123383 2123386</p>	<p>3497417</p>	<p><a href="https://www.hilti.com.au/insert-tools/">https://www.hilti.com.au/insert-tools/</a></p>
<p><b>Key features</b></p>	<ul style="list-style-type: none"> <li>• Works like cast-in with post-installed rebar connections</li> <li>• Easy cleaning method simplifies installation</li> <li>• Suitable for indoor and outdoor applications as well as for use in all conditions (dry, wet, water-filled holes, underwater)</li> <li>• Long working time allows greater flexibility during installation</li> <li>• Renovation / upgrades with post-installed rebar's</li> <li>• Rebar doweling / secondary post-installed rebar's</li> </ul>	<ul style="list-style-type: none"> <li>• Fast, easy foil pack loading</li> <li>• Minimal mortar dripping after pressure release</li> <li>• Ruggedly built to withstand tough jobsite conditions</li> <li>• Well balanced for better handling</li> <li>• High efficiency even at low temperatures</li> </ul>	<ul style="list-style-type: none"> <li>• Solid carbide head for top performance, maximum reliability and less jamming when hitting rebar</li> <li>• Heat-treated flute for less wear, ductile core for robustness</li> <li>• Drill bit head embedded on four sides for maximum durability and longer life</li> <li>• Wear indicator mark for estimation of wear</li> </ul>



# Mechanical anchor for Dincel wall Bracing



Description

HUS-V -universal screw anchor

Hammer drill bit TE-CX 8/22

Impact socket SI-S 1/2"-13 S

SIW 22-A Cordless impact wrench

Item Number

2079937  
2079938  
2079939  
2079940

409177

2070371

3542545

Key features

- Faster & Easy Installation
- Completely Removable
- Small spacing and edge distance
- Safety: Verified reusability
- Nice Head Finish

- New solid carbide head for less wear
- Indicator mark at the head verifies suitability for setting anchors as long as the mark is visible
- Good resistance to high temperatures
- Fast & accurate drilling progress thanks to new flute design

- Two detent holes to increase connection accuracy between the socket and 1/2" anvil
- Dual detent bevels
- Quick socket attachment
- Tightening nuts and bolts
- Anchor fastening
- Driving and removing wood screws

- High-efficiency brushless motor for long life and more work per charge
- Compact design allows easy use in tight corners and wherever space is limited
- Three gears and electronic speed control for easy switching between different driving speeds and torque
- 4 LEDs around the chuck illuminate the work surface for a good view of the task at hand

